

In Reply Refer to 6840-P

Russel Peterson
Attn: Diana Hwang
U. S. Fish and Wildlife Service
2600 S.E. 98th Ave. Suite 100
Portland, OR 97266

Re: Request for concurrence/biological opinion for ongoing actions on bull trout for the period 1998-2002, on the Prineville District, Bureau of Land Management (BLM) in the North Fork John Day subbasin.

Dear Mr. Peterson:

This letter serves as a request for concurrence on 1998-2002 ongoing actions and their effects on bull trout on the Prineville District, Bureau of Land Management (BLM) in the North Fork John Day River subbasin. Actions described in our 1998 Biological Assessment, previously submitted to the Fish and Wildlife Service for formal consultation in 1998, are not expected to change in 1999, or until the Northeast Oregon Land Exchange is completed. As such, the Prineville BLM District is requesting concurrence for 9 "may affect, not likely to adversely affect" grazing actions, and one "may affect, not likely to adversely affect" action covering commercial river guiding in the North Fork John Day subbasin.

If you have any further questions or need of additional information/ clarification, please contact Brent Ralston, fisheries biologist, at (541) 416-6713, or myself at (541) 416-6729. We would appreciate a biological opinion/letter of concurrence with the level 1 team findings from the U.S. Fish and Wildlife Service as soon as possible.

Sincerely,

Dan Tippy
Acting Field Manager, Central Oregon R.A.

Enclosures: Biological Assessment for the North Fork John Day River Subbasin

**Final
Biological Assessment
for Bull Trout and its Habitat
in the North Fork John Day
River Subbasin**

**Bureau of Land Management
1998-2002 Ongoing Actions,
Prineville District**

October 2000

Final Biological Assessment (BA) for bull trout for 1998-2002 ongoing actions on the Prineville District, Bureau of Land Management (BLM) in the North Fork John Day subbasin.

Introduction

Within the North Fork John Day River (NFJDR) subbasin, the BLM Prineville District manages about 8,640 acres of scattered and moderately blocked public lands which drain into, or encompass bull trout migratory habitat (winter). About 200 BLM managed acres are proposed for exchange/disposal in the Northeast Oregon Assembled Land Exchange (NOALE). Refer to Table 2 and previously submitted map depicting which parcels in specific allotments are proposed for disposal/exchange. The BLM has already received a bull trout consultation concurrence letter from your agency for the NOALE project. About 7,400 BLM-managed acres are within eleven permitted grazing allotments. The remaining 1,240 BLM-managed acres are unleased, with no authorized grazing use.

The BLM is requesting consultation on these ongoing permitted actions. These actions are consistent with our governing programmatic plans. Riparian habitat management concerns in these allotments have been identified and are addressed in the John Day Resource Management Plan. Two management objectives are (1) "management activities in riparian zones will be designed to maintain, or when possible, improve riparian habitat condition", and (2) "either eliminate hot season grazing...or schedule {it} on a rotational basis". These objectives should be accomplished through the adjusted grazing plans analyzed in this B.A. The BLM will provide full documentation of baseline and rationale for baseline/effects "checklist" to the lead Level 1 team for 4th field HUC B.A.'s.

The bull trout analysis area for this BA includes all lands draining into the NFJDR from the mouth of Wall Creek (RM 22.5) to the Prineville BLM District boundary at the Grant/Umatilla County line (RM 51.5). Within the analysis area, bull trout only occupy habitat in the NFJDR proper. The analysis area totals approximately 72,000 acres, with BLM lands comprising about 12 percent of this area (8,640 acres). For analysis purposes, assessment of the baseline pathways were determined from informal field observations of primarily BLM lands, and to a lesser degree, private lands along the North Fork John Day River and tributaries, excluding the uplands on National Forest lands. The BLM lands are scattered within six 5th field Hydrologic Units (#17070202-02,04,06,07,08, and 09). Because BLM manages only minor land acreage within each 5th field HUC, it is not practical or meaningful to prepare specific assessments for each Unit.

Salmonid habitat has decreased in both quantity and quality in the analysis area in recent history due to increased human activities and some natural events. Land uses such as timber harvesting, road construction, livestock grazing, placer mining, agriculture practices (irrigation water diversions, and encroachment on riparian zones), and stream channelization have impacted salmonid habitat in the Middle Fork John Day River. Natural events such as insect infestations and epidemics, large catastrophic forest fires, and basin wide and localized flooding have further contributed to the degradation of riparian and instream habitats. It is difficult to estimate how land management practices may have exacerbated the severity and intensity of natural events impacting riparian habitat conditions.

Improperly managed livestock grazing, timber harvesting, and road building activities have impacted fish habitat by damaging or suppressing riparian vegetation, impacting water quality, reducing habitat complexity, and destabilizing streambanks and watersheds (John Day River Subbasin Report, 1990). Irrigated agriculture activities are insignificant within the analysis area, with range and forestry being the principle land uses. According to the Oregon Water Resources Department (OWRD, 1986), land uses in the last 125 years may have had a significant impact on the John Day basin's capacity to retain water and release it later in the season.

Logging practices throughout the John Day Basin have degraded water quality in streams and caused both direct and indirect impacts to fish and aquatic resources. The following is a list of fishery related impacts that have resulted from logging activities (John Day River Subbasin Report, 1990).

1. Impaired water quality from increased sedimentation and water temperatures, and lowered dissolved oxygen levels.

2. Direct stream habitat losses resulting from instream channel changes and loss or lack of large woody materials.
3. Removal of riparian vegetation canopy resulting in reduction of instream food production and increased stream temperatures.

Timber harvesting within riparian zones on private lands has been more extensive than on the BLM managed lands. Forested BLM tracts in the analysis area have had limited timber management activities and still contain a good mix of large overstory trees.

From RM 51.3 to RM 38.5 (mouth of Potamus Creek), the river canyon has moderate to patchy stands of ponderosa pine and Douglas fir. Canyon slopes on the south side of the river (north facing) contain the most dense timber stands. Hawthorne, elderberry, coyote willow, black cottonwood, Rocky Mountain maple, ninebark, snowberry, and western juniper are understory shrubs and trees found scattered and clumped in riparian zones. Exotic weeds are also scattered along the river, particularly in disturbed areas (old slash burn piles, and areas where livestock grazing has been concentrated too heavily). Cobble/gravel bars and bedrock substrate areas are common in the NFJDR floodplain. From RM 38.5 to the RM 22.5 the conifer overstory and diversity of riparian shrubs continues to decrease as western juniper and other arid vegetation increases. Cobble/gravel bars and bedrock substrate areas are still common. Riparian vegetation along tributary streams generally is more diverse and dense than along the NFJDR.

Potential riparian communities in the North Fork drainage are largely determined by topography, elevation, and aspect. Upper riparian habitats with shady northerly and easterly aspects, which are less prone to drying, are more densely vegetated with greater species diversity of shrubs and sedges. These habitats exhibit high potential for rapid recovery from disturbance. In more arid locations, particularly the lower part of the analysis area, ground cover is naturally more sparse and streambanks have been impacted more from livestock grazing. These communities also have high potential for recovery, but at a slower rate than less arid areas.

A 1995 Properly Functioning Condition (PFC) assessment of BLM riparian/stream habitats identified the North Fork John Day River, and Graves, Mallory, and Potamus Creeks as Functioning-at-Risk (FR). The potential acquisition tributaries are also estimated to be Functioning-at-Risk.

The lower NFJDR is known to carry significant ice flows during most winters. These hydrological events contribute to degraded riparian zones and streambank instability (OWRD, 1986). Land use practices and watershed conditions may lead to ice scouring. Ice flow scars are commonly seen on pine trees adjacent to the river.

Mining historically was an important economic activity in the NFJDR subbasin. Gold continues to be mined from placer and small bedrock mines in the upper NFJDR. Exploration activities continue mainly on previously known gold and silver deposits on Granite Creek and the headwaters of the NFJDR (OWRD, 1986). Mining activities and disturbances were primarily upstream of the analysis area.

Bull Trout Subpopulation Characteristics/Species Distribution

According to Buchanan (1997), and ODFW biologists, migrating bull trout use the NFJDR in the analysis area down to the mouth of Wall Creek (RM 22.5) during winter season when water temperatures are suitable. Bull trout "occupied" habitat includes spawning, rearing, or resident adult, and migratory winter habitat. BLM managed lands within six grazing allotments are adjacent to bull trout winter migratory habitat. The North Fork John Day River currently supports spawning and rearing habitat upstream of the analysis area in Clear, Crane, Desolation, S. Fk. Desolation, Big, Baldy, S. Fk. Trail and Winom Creeks, and in the N. Fork John Day above Guttridge. Historic habitat included Granite Creek, N. Fk. Desolation Creek and Meadow Brook Creek. The upper North Fork contains the most bull trout habitat in the John Day Basin (Claire and Gray, 1993).

Water Quality

The NFJDR subbasin has the best chemical, physical, and biological water quality in the John Day basin. Water quality problems do occur in localized areas. Water quality is adequate for most beneficial uses. Elevated water temperatures and sedimentation do impair uses by cold water fishes however. Elevated water temperatures occur during low flows and sedimentation and erosion occur during high flows. Stream reaches like upper Big Wall Creek exhibit elevated temperatures, low dissolved oxygen, low flows, siltation, and bank erosion. These conditions can be partially attributed to grazing, channelization, logging practices, road construction, ice flows, and irrigation withdrawals (OWRD, 1986). Tributaries of the NFJDR have better shading and denser tree and shrub components than the main river. In 1995, water quality data was collected at RM 38.2 on the NFJDR. The 7-day average maximum daily temperatures for the site was 26.9 C at RM 45 starting the week of July 23.

Habitat Access

There are no known physical barriers to bull trout migration in the mainstem NFJDR.

Habitat Elements

No quantitative data has been collected on substrate embeddedness in the area. Rough estimates from a 1996 riparian photo point survey indicate that embeddedness is within 20-30%. Large instream wood is rare in the NFJDR, and throughout the analysis area. Ditch Creek had the most instream wood of all the tributaries in 1996. Pool frequencies and quality in the NFJDR are likely functioning appropriately, but tributaries have considerably lower pool frequencies than desired. Pools in the NFJDR generally are

large and deep (>1 meter), but tributaries have few large and deep pools. The NFJDR has some off channel habitat areas and limited amounts of habitat refugia.

Channel Condition/Dynamics

No data is available on Wetted Width/Maximum Depth Ratios for the NFJDR or its tributaries. Based on informal observations, streambank conditions generally have 90 percent stability over 50-80 percent of any stream reach (Functioning at Risk).

Streambank stability is primarily provided from rock, grasses, scattered deciduous shrubs and trees and pine trees. Off channel areas are probably frequently hydrologically linked to main channels in the NFJDR, based on informal observations.

Flow/Hydrology

The NFJDR is the most important subbasin in terms of water quality and flow contribution to the John Day River, contributing over 60 percent of the annual average discharge of the basin. Some tributaries in the analysis area (Stony, Ditch, and Mallory) are known to experience interrupted surface flows during dry years. Problems of the North Fork subbasin are high volumes of runoff, low summer streamflows, and localized degraded water quality. Seasonal streamflows are unevenly distributed throughout the year. Some erosion and sedimentation problems occur in localized areas. Periodic high flows carry sediment and increase turbidity, affecting water quality and fish habitat (OWRD, 1986).

Historic and current land use activities have altered the analysis area drainage. Mining, specifically dredging, has modified stream channels and riparian vegetation upstream of the analysis area. Timber harvest, road construction and livestock grazing may contribute to the uneven distribution of subbasin discharge (OWRD, 1986). Low to moderate increases in active channel length have probably occurred in the area due to human caused disturbances, but availability of data to substantiate this is unknown.

Watershed Conditions

There are many valley bottom roads, but road densities range from 1-2.4 miles/mi². The BLM does not administer or maintain any roads within the analysis area. All roads are either gravel or native material surfaced. Most of this analysis area is non-forested, but riparian areas have had timber harvesting that has impacted habitat conditions. The level of disturbance history on private lands is largely unknown, however some marginal forest lands in the Ditch and Wall Creek drainages on private lands have been extensively harvested. Forested areas are concentrated upstream of Potamus Creek on the south canyon slopes of the NFJDR, and have been harvested moderately. Most forested BLM tracts have not had any significant timber harvest. It is estimated that riparian conservation areas (RHCA's) have experienced moderate to high losses of connectivity or function, particularly on the lower NFJDR below Potamus Creek. Presently the riparian vegetation component along the NFJDR probably does not contribute largely to stream function. Conditions of RHCA's on tributary habitats is

generally better however. BLM parcels on the NFJDR and tributaries generally have a well intact overstory component of conifers, and varying conditions of understory shrub and tree species. Riparian areas are estimated to be >50% in similarity to natural community composition. Because the area is arid, resiliency of habitat to recover from environmental disturbances is moderate to low. Most scour events are localized.

Integration of Species and Habitat Conditions

Bull trout spawning habitats in the NFJDR drainage (upstream of the analysis area) are concentrated in the upper tributaries and Desolation Creek. According to ODFW these populations are at "Moderate Risk" of extinction. Cumulative disruption of habitat from mining, timber harvesting, road building, and grazing, past opportunities for sport fishing overharvest, poaching, and hybridization and competition with brook trout has resulted in a declining trend in the subpopulation size. Winter migratory habitat connects these spawning stream reaches and connectivity is likely during spawning season (See species distribution map).

Project Descriptions

Livestock Grazing Allotments

The major action being addressed by this BA is livestock grazing in the NFJDR subbasin on eleven allotments shown in Table 1. Historically most BLM grazing allotments in this area were permitted for season long use (4/1-11/30). Starting in 1998 grazing season, the permitted season of use has been restricted on all BLM parcels that contain occupied bull trout habitat and fish bearing or perennial non fish-bearing streams that drain into occupied bull trout habitat. The new permitted season of use is 4/1-5/31.

Livestock operators have been contacted and informed that they are responsible for keeping livestock off these parcels after the turn off date, for some of these public land parcels are not fenced separately from surrounding private lands. BLM expects that operators make a reasonable effort to have a majority of the livestock (95-98%) removed by the turn off date. Total removal by this date is desirable but varying circumstances (large pastures, steep topography, rogue animals, and equipment failures) sometimes thwart the best efforts to complete the removal process. BLM expects operators to gather straggler animals for total removal within a week after the turn off date. Because portions of livestock herds would actually be removed before the turn off date, this evens out use that may occur from stragglers afterward. Livestock found on BLM lands after this grace period would be considered unauthorized, and appropriate actions will be taken to protect public land resources (see Appendix A). Trailing across these parcels outside of the authorized grazing season will only be allowed by a special use permit, and granted on a case by case basis.

Because BLM parcels in these allotments are relatively small and contain similar habitat for bull trout, all are being grouped into one BA for the NFJDR subbasin. Each allotment is shown on a previously submitted map and listed in Table 1, with allotment specific information. Allotment Plans have been written and implemented for the larger grazing allotments (Slickear Mtn., Neal Butte and North Fork) with BLM lands adjacent to the NFJDR. Through these plans, grazing seasons were restricted to spring use only (4/1-5/31) in pastures with BLM river and stream habitat.

Some monitoring data has been collected within the analysis area, but information specific to the riparian areas on public lands is limited. Riparian trend studies (photo points) were established in 1996 on the NFJDR and the lower reaches of its tributaries. Riparian photo points were taken at 1/4 mile intervals on the NFJDR from RM 22.5 to RM 57.5, on Deerhorn Creek from RM 0.0 to 4.6, on Jericho Creek from RM 0.0 to 3.9, on Stony Creek from RM 0.0 to 3.6, on Rush Creek from RM 0.0 to 0.8, on Potamus Creek from RM 0.0 to 1.6, on Graves Creek from RM 0.0 to 2.1, on Ditch Creek from RM 0.0 to 2.2, and on Cabin Creek from RM 0.0 to 2.5. As noted in this riparian photo point study, grazing was heavy in various reaches on the North Fork and tributaries in 1996, on both

private and public lands, mostly upstream of the analysis area. In 1997, season of use changes were implemented on two larger allotments (North Fork and Neal Butte).

About every 1-2 weeks after the turn off date, the grazing allotments will be monitored for unauthorized use, through the month of October. Efforts will be prioritized on those allotments that are adjacent to occupied bull trout habitat on the NFJDR, which contain the majority of fish bearing stream habitat, and have the best access (#4003, 4028, 4029, 4042, 4122, 4125). Unleased BLM parcels adjacent to migratory habitat will also be monitored. Regular grazing compliance monitoring has occurred on the Slickear, North Fork, and Neal Butte allotments since grazing seasons were shortened to spring use grazing in 1995-1997. The Big Bend and Johnny Cake Mountain allotments also have been monitored, as they are adjacent to the previously discussed allotments.

The BLM believes there is good potential for a high rate of grazing season compliance on NFJDR allotments, particularly since several larger allotments (#4028, #4029, and #4003) already were changed to spring use prior to the proposed listing of the bull trout. Some instances of unauthorized grazing have occurred on the Neal Butte and Slickear allotments in 1997 and 1998. The livestock owners were notified and the situations were corrected quickly. Two problem areas have been identified where livestock have been drifting down from other private lands onto the NFJDR public lands, particularly during late summer and fall months. They are the Cabin Creek drainage and the lower Middle Fork John Day River. Concentrated compliance monitoring by BLM staff and new drift fences to control livestock will increase the success of these new grazing seasons on bull trout habitat. BLM will start plans for construction of the Cabin Creek fence in 1999.

Dispersed Recreation

Also analyzed in this BA is commercial river guiding and dispersed public camping on the NFJDR in the analysis area. At present, 34 commercial river guides are permitted by the BLM on all segments of the John Day River. In 1997, two of these commercial outfitters reported that they guided float trips (one trip each) on the NFJDR. This use accounted for approximately 48 visitor user days. A visitor user day is one person recreating on public or private lands for any portion of a day. In 1997, both trips occurred in late May after the trout fishing season opened. The principal activity occurring on these guided float trips was canoeing, fishing and sightseeing

The NFJDR normally is open to steelhead angling from September 1 to April 15 each season, and open to trout angling from late May to October 31 each year. Retaining bull trout as part of daily trout limits has been prohibited since 1993. According to ODFW biologists, no known incidental catch of bull trout is occurring in the analysis area after trout season opens. Known incidental catches of bull trout in the analysis area have occurred during the winter months (December to February) when steelhead angling is legal.

Within the analysis area, the BLM manages about 11 miles of river corridor on the NFJDR (occupied migratory bull trout habitat). A public access easement along the soil road north of the river from highway 395 (RM 56.8) to Potamus Creek (RM 38.6) allows sportsmen opportunity to fish the NFJDR on Pioneer Resources lands (formerly Louisiana Pacific). Public land parcels below Potamus Creek generally are accessible by the public, although the access road is privately controlled. During hunting season access is blocked by locked gates between RM 30.1 to RM 36.5 through a private ranch. Dispersed camping use is heaviest during peak rafting months (April-June) and hunting season (Sept-Oct). Rafters/floaters generally camp on river bank left, while hunters and other campers use river bank right, next to the road.

Description and Distribution of Species

Inventories and Surveys

Until recently little specific information on the status or biology of bull trout in Oregon was available. During the past decade there has been a concerted effort to find out more about the bull trout. Since 1990, ODFW, Forest Service (FS), and BLM stream survey crews have been documenting bull trout distribution and relative abundance. Bull trout distributions discussed in this analysis are referenced from the latest information from ODFW, BLM, and Forest Service fisheries biologists.

Life History of Bull Trout

Bull trout typically have more specific habitat requirements than other salmonids. Because of their specific requirements, bull trout are more sensitive to changes in habitat and less able to persist and thrive when habitat conditions are altered or degraded (Rothschild and DiNardo, 1987). Channel and hydrologic stability, substrate, cover, temperature, and the presence of migration corridors consistently appear to influence bull trout distribution or abundance (Ziller, 1992).

Adults usually spawn from August through November in the coldest headwater tributaries of a river system, and require water temperatures <10C for spawning, incubation, and rearing (Weaver and White 1985). Although migratory bull trout (fluvial or adfluvial) may use much of a river basin through their life cycle, rearing and resident fish often live only in smaller watersheds or their tributaries (second-fourth order streams) (Ziller, 1992).

Juvenile bull trout closely associate with stream channel substrates, often using interstitial spaces for cover (Fraley and Shepard 1989). A close association with channel substrates appears more important for bull trout than for other species. This specific

rearing habitat requirement suggests that highly variable stream flows, bed movements, and channel instability will influence the survival of young bull trout, especially since embryos and alevins incubate in substrate during winter and spring (Reiman and McIntyre 1993).

Increases in fine sediments to streams can reduce pool depths, alter substrate composition, reduce interstitial space, and cause channels to braid. These changes degrade fish habitat and reduce rearing bull trout survival and abundance (Reiman and McIntyre 1993). Bull trout usually associate with complex forms of cover and with pools. Juveniles live close to instream wood, substrate, or undercut banks and in pocket pools formed by boulders. Young-of-the-year fish use side channels, stream margins, and other low velocity areas. Older and larger fish use pools and areas with large or complex instream wood and undercut banks (Reiman and McIntyre 1993). Instream wood correlated significantly with bull trout densities in streams sampled in the Bitterroot National Forest (Reiman and McIntyre 1993).

Migratory corridors connect safe wintering areas to summering or foraging areas. Movement is important to the persistence and interactions of local populations within the metapopulation. Open corridors among populations are required to ensure gene flow, refounding of locally extinct populations, and enhancement of locally weak populations. Migratory populations of fish are likely to stray more between streams than resident populations, increasing the potential for such dispersal (Reiman and McIntyre 1993).

Water temperature is the most critical factor that influences bull trout distributions, but critical thresholds however, are poorly defined. Water temperatures in excess of 15C are thought to limit bull trout distribution (Fraley and Shepard 1989). It is not known whether the influence of water temperature is consistent throughout the life cycle or whether a particular stage is especially sensitive. Increasing water temperatures increase the risks of habitat invasion by other species that may displace bull trout.

Bull trout have very low levels of variation within populations (John Day, Umatilla, Grande Ronde Basins, etc) but are highly differentiated between populations (Spruell and Allendorf 1997). The John Day and Grande Ronde bull trout populations tend to be similar genetically, however a unique allele frequency was found in seven of ten John Day populations which was not present in any of the 11 Grande Ronde populations (Spruell and Allendorf 1997).

Bull Trout Distribution in the North Fork John Day Hydrologic Unit

Bull trout are indigenous to the John Day River Basin and historically had a wider distribution within the Basin than at present. Modern land-use practices in the John Day Basin have altered aquatic habitats where salmonid fishes live, including the bull trout. The current distribution of bull trout is clearly fragmented (Howell and Buchanan 1992). Bull trout in the John Day Basin are considered as one metapopulation, even though the sub-populations within the main stem, North and Middle Fork subbasins probably have no genetic interchange presently (Unterwegner, personal comm. 1997).

Presently bull trout spawning and rearing habitat in the North John Day Basin includes Clear, Crane, Desolation, S. Fork Desolation, Big, Baldy, Trail, Crayfish, Cunningham, Onion, and Boulder Creeks and the NFJDR above Gutridge

Migratory bull trout habitat in the NFJDR extends down the river to the mouth of Wall Creek (RM 22.5), and also includes lower Desolation Creek.

Bull trout distributions within the Basin have been affected by an array of human caused factors. These factors are the primary reasons for the decline of local populations (Claire and Gray, 1993; Ratliffe and Howell, 1992).

Habitat Degradation

- Water temperature impacts (elevated temperatures).
- Riparian habitat loss
- Loss of instream structure and complexity
- Loss of instream large wood and potential future large wood
- Increased sediment delivery to bull trout habitats
- Food supply (reduction in anadromous fish populations)

Passage Barriers

- Natural barriers. Falls on S. Fork Desolation, E. Meadowbrook, and Big Creeks

Overharvest/Poaching

-Bull trout are aggressive by nature and readily take lures or bait, making them very susceptible to angling. Legal harvest has been higher in the North Fork drainage than the Middle Fork or Upper Mainstem. In 1993 ODFW prohibited angling harvest of bull trout in the John Day Basin.

Hybridization and Competition

- Brook x bull trout hybrids have been found in S. Fork Desolation and Crane Creeks. Other streams containing brook and bull trout, with potential for hybridization, are Desolation, Baldy, Big and Winom Creeks, and the upper NFJDR..

Climate Change

-Oregon is near the southern fringe of bull trout distribution. Only an isolated population in reductions of bull trout in the southern edges of its range has been caused at least in part by the loss of cold water habitat following the retreat of glaciers and snowfields since the late Pleistocene (Cavender 1978). This situation has been aggravated by human-caused habitat alterations.

Analysis of Potential Effects of the Proposed Actions

Grazing

Habitat for bull trout (migratory) on BLM managed lands will be maintained through time by restricting grazing activities along NFJDR and tributary streams to early season use only (4/1-5/31). With spring grazing treatments in pastures with perennial streams, livestock leave the riparian areas early when enough soil moisture remains in the riparian zone for nearly complete herbaceous vegetation regrowth. Herbaceous and woody vegetation along streams functions to protect streambanks from high flow scour, and also to catch and deposit sediments carried in high flow events. Little use occurs on riparian woody species, as more palatable grasses and forbs are abundant on uplands and bottomland areas. Perennial stream segments (13.3 total miles on BLM) in these allotments range from 0.2 to 1.8 miles in length. The BLM has seen excellent riparian responses to this grazing strategy on the South Fork John Day River in the past ten years.

If unauthorized grazing use were to occur (outside of permitted grazing season) on BLM lands adjacent to occupied bull trout habitat, this would trigger the BLM to re-initiate consultation with the Service if the environmental baseline (occupied habitat along the NFJDR) is altered enough to adversely affect the species.

Improper livestock grazing can hinder the potential maturation of woody species and decrease herbaceous stubble heights. This can affect the riparian environment by changing, reducing, or eliminating vegetation, and by actually eliminating riparian areas through channel widening, channel aggrading or lowering of the water table. Riparian zones are often grazed more heavily than upland zones because they have flatter terrain, water, shade, and more succulent vegetation (Platts, 1991). Streams modified by improper livestock grazing are wider and shallower than they would have been normally. Generally, in grazed areas, stream channels contain more fine sediment, streambanks are more unstable, banks are less undercut, and summer water temperatures are higher than is the case for streams in ungrazed areas (Armour 1977; Behnke and Zarn 1976).

Based on Level 1 team discussions, the permitted grazing actions on allotments adjacent to occupied habitat (#4003, 4028, 4029, 4042, 4122, and 4125) is considered Not Likely to Adversely Affect the species. Intermingled and surrounding private lands within these allotments, and unknown level of compliance to adjusted grazing season restrictions raises the need for consistent compliance monitoring of the public lands. Two allotments were determined to have no effect to downstream bull trout habitats (See Table 1). These allotments are upland, 40 acre parcels, with no perennial or intermittent streams.

Dispersed Recreation/Camping

A public access easement from highway 395 Potamus Creek (soil road north of the river) allows public opportunity to fish the NFJDR on Pioneer Resources lands (formerly Louisiana Pacific). BLM managed lands next to the NFJDR are intermingled with private lands. Because the public can recreate on private timberlands along the river, there is not a predisposition to concentrate use on the scattered BLM lands that access the river from the road.

In the riparian zone, recreational activities may alter habitat elements important to salmonid populations. Recreational use of the riparian zone does not always greatly disrupt fish habitat, however. Understory vegetation in the riparian area can be reduced or removed when recreational activities occur along the banks of streams and rivers, depending on the intensity and type of activity. Loss of understory vegetation directly affects the rearing habitat of fish by reducing hiding cover, food production, and streambank stability. How quickly streambank loss occurs and how much of the stream will be affected depends on the type of recreational activity taking place and its frequency (Clark and Gibbons, 1991).

Camping in riparian areas and near streambanks can cause accelerated bank erosion from trampling and vegetation removal, loss of large wood due to removal for firewood, and harassment of game fish species. However due to the remote location of the analysis area, and low levels of dispersed recreation use occurring on BLM lands, the significance of these impacts are low. It is unlikely that the BLM permitted action of commercial river guiding is increasing incidental catch (and potential mortality) of migratory bull trout in the NFJDR, because bull trout are likely not utilizing this habitat in late spring/early summer.

Potential Effects to Each Habitat Pathway/Indicator

The Level 1 team's assessment is that the proposed actions for 1998 in the NFJDR subbasin (grazing and commercial river guide permitting) should be split into three separate groups of federal actions with separate determinations of effect on each Habitat Pathway/Indicator. Group 1: Grazing allotments with BLM lands adjacent to migratory bull trout habitat on the NFJDR (#4003, 4028, 4029, 4042, 4122, and 4125). Group 2: All other grazing allotments within the analysis area (#4015, 4108, and 4139). Group 3: Commercial river guiding/dispersed recreation on BLM lands within the analysis area. When potential effects are comparably similar for all three federal actions, they are grouped into one discussion for that habitat pathway.

Water Quality

Groups 1 and 2: Water temperatures will not be significantly affected from these actions because the timing of the grazing treatments is when grasses and forbs are more palatable and preferable than woody species, which largely will be ungrazed. Regrowth of riparian vegetation also occurs after the livestock leave the parcel/pasture with stream habitats. Bull trout use habitat downstream of, and adjacent to these allotments (in the NFJDR) area only during winter and spring seasons when water temperatures are within their optimum range. Sediment and chemical contamination/nutrient levels in the analysis area will be maintained at current levels. Fine sediment has a negligible potential to increase from livestock trampling of streambanks. Regrowth of vegetation after the short use period will recover most areas trampled by livestock, thus minimizing areas that could be subject to erosion during winter and spring high flows. No spawning or incubation habitat exists below the project area, so this element would not be affected. Instream nutrient levels in the analysis area may experience minor increases in the short term from livestock wastes. Water flows are high during this season so the dilution factor would mitigate the effects of nutrient additions. No effect is anticipated from chemical contaminants.

Group 3: Dispersed recreation/camping use in the analysis area is low on BLM lands. Although some vegetation trampling does occur in riparian/floodplain areas from camping activities, effects to woody vegetation is predicted to be immeasurable, and not likely to effect stream shading and water temperatures. Suitable camping sites often are located on river terraces, outside of the riparian area. Fine sediment delivery to the NFJDR is not expected to increase because of the low amount of camping activity within riparian zones. The BLM has been informing boaters and campers to pack out human wastes, but this is not an official regulation for the NFJDR. This outreach effort should minimize nutrient contamination to the river from people.

Habitat Access

All Action Groups: There will be no effect on the species ability to access habitats upstream and downstream of the analysis area.

Habitat Elements

Groups 1 and 2: No rearing areas exist below the project area. Slight increases in sedimentation from grazing activities could affect the forage base of migrating bull trout in the NFJDR, but this effect would be immeasurable, and not significant enough to increase cobble embeddedness. This project will maintain current and future floodplain woody debris in the area. Spring grazing activities are not likely to affect woody species that could become future large instream wood debris. Pool frequency and quality will not be affected measurably because of the reasons discussed about substrate embeddedness. Large pools, off channel habitat, and refugia in the NFJDR below the analysis area would not be affected significantly from grazing actions that only last 2 months each year on the NFJDR.

Group 3: No effect to cobble embeddedness in rearing areas would occur from dispersed recreation activities, for no rearing habitat is present within or downstream of the analysis area. The BLM allows collection of reasonable amounts of wood for campfires on public lands. This may impact future large woody materials within RHCA's, but is not expected to be significant because of the low levels of use along the NFJDR and the relatively small amounts of public lands along the NFJDR.

Channel Condition & Dynamics

Groups 1 and 2: Minimal or immeasurable effect to width/depth ratio or floodplain connectivity is expected in the area or to downstream occupied habitats. Short season of grazing use minimizes impacts to these parameters. Grazing activities and animal trampling may degrade streambank conditions slightly on the NFJDR and tributary streams, but should not be a measurable impact to occupied habitats.

Group 3: Minimal or unmeasurable effect to width/depth ratio or floodplain connectivity is expected along the NFJDR from dispersed camping uses. Use levels are low along the NFJDR canyon. Camping/floating activities may damage streambank conditions in scattered locations, but not at levels significant enough to cause measurable changes in habitat in the NFJDR.

Flow/Hydrology

All Action Groups: These actions are not likely to effect changes in peak base flows or lead to increases in drainage networks within the analysis area. This indicator is primarily affected by timber harvest activities which alter snow retention and snowmelt timing. These activities cover a very small portion of the analysis area, and occur for short time periods, thus minimizing impacts to ground cover vegetation which maintains watershed hydrological functions.

Watershed Conditions

Groups 1 and 2: This action will not effect road densities, or percent ECA, for no road building, or timber harvest is proposed in the analysis area. Conditions of RHCA's should be maintained, for reasons discussed under "Analysis of Potential Effects of the Proposed Action". Woody riparian species should experience near natural rates of recovery with spring grazing treatments. Disturbance related to this action are temporary (removal of streamside vegetation) with nearly full regrowth anticipated by the end of the growing season.

Group 3: This action will not effect road densities, or percent ECA, for no road building, or timber harvest is proposed in the analysis area. Vegetation condition of RHCA's could be impacted slightly from camping activities. The BLM allows collection of reasonable amounts of wood for campfires on public lands. This may impact future large woody materials within RHCA's, but is not expected to be significant because of the low levels of use along the NFJDR and the relatively small amounts of public lands along the NFJDR.

Integration of Species and Habitat Conditions

All Action Groups: These actions will not affect habitat connectivity among subpopulations of the North Fork, Middle Fork, and main stem John Day. The primary factor that currently limits connectivity of these subpopulations is degraded habitat conditions upstream and downstream of the analysis area.

Determination of Effects: Dichotomous Key for Making ESA Determination of Effects

Groups 1 and 2:

1. Are there any proposed/listed fish species and/or proposed/designated critical habitat in the watershed or downstream from the watershed?

YES.....Go To 2

2. Will the proposed action(s) have any effect whatsoever on the species and/or critical habitat?

YES.....Go To 3

3. Will the proposed action(s) have the potential to hinder attainment of relevant

"functi

NO.....Go To 4

4. Does the proposed action(s) have the potential to result in "take" of any proposed/listed fish species or destruction/adverse modification of proposed/designated critical habitat?.

A. There is a negligible (extremely low) probability of take of proposed/listed fish species or destruction/adverse modification of proposed/designated critical habitat.

.....**Not Likely to Adversely Affect**

Group 3:

1. Are there any proposed/listed fish species and/or proposed/designated critical habitat in the watershed or downstream from the watershed?

YES.....Go To 2

2. Will the proposed action(s) have any effect whatsoever on the species and/or critical habitat?

YES.....Go To 3

3. Will the proposed action(s) have the potential to hinder attainment of relevant

"functi

NO.....Go To 4

4. Does the proposed action(s) have the potential to result in "take" of any proposed/listed fish species or destruction/adverse modification of proposed/designated critical habitat?.

A. There is a negligible (extremely low) probability of take of proposed/listed fish species or destruction/adverse modification of proposed/designated critical habitat.

.....**Not likely to Adversely Affect**

Discussion:

The environmental baseline description in the preceding matrix shows that the BLM is a relatively small landowner in the NFJDR basin and that data concerning habitat conditions for the private and BLM lands in the analysis area generally is lacking. The matrix also shows that riparian and aquatic conditions on BLM lands will be maintained with implementation of these actions, as authorized. Riparian management objectives outlined in the John Day RMP should be maintained with this project as well as the pathway indicators listed in the matrix. These objectives will be met by limiting grazing activities in allotments with riparian areas to short spring treatments, which allows for vegetative regrowth. Scheduled compliance monitoring will serve to track the success of meeting riparian objectives in combination with intensive grazing treatments.

The Level 1 team's assessment is that the proposed actions for 1998 in the NFJDR subbasin (grazing and commercial river guide permitting) should be split into three separate groups with separate determinations of effect. Group 1 includes grazing allotments with BLM lands adjacent to migratory bull trout habitat on the NFJDR (#4003, 4028, 4029, 4042, 4122, and 4125). It was determined by the Prineville BLM level 1 biologist that Group 1 actions were "Not Likely to Adversely Affect" the species, as authorized. Group 2 includes all other grazing allotments within the analysis area (#4015, 4108, and 4139), and was determined by the level 1 streamlining team to be "Not Likely to Adversely Affect" the species, as authorized. Group 3 includes commercial river guiding/dispersed recreation on BLM lands within the analysis area. Two allotments in Group 2 were determined to have no effect to downstream bull trout

habitats (See Table 1). These allotments are upland, 40 acre parcels, with no perennial or intermittent streams.

References Cited

- Armour, C. L. 1977. Effects of deteriorated range streams on trout. U. S. Bureau of Land Management, Boise, Idaho.
- Behnke, R. J., and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. U. S. Forest Service General Technical Report RM-28.
- Buchanan, D. V., M. L. Hanson, and R. M. Hooten. 1997. Status of Oregon's Bull Trout. Oregon Department of Fish and Wildlife. Portland.
- Cavender, T. M. 1978. Taxonomy and distribution of the bull trout, *Salvelinus confluentus* (Suckley) from the American Northwest. California Fish and Game. 3: 139-174.
- Claire, E. W. and M. E. Gray. 1993. Bull Trout of the John Day Basin. Oregon Department of Fish and Wildlife, Northeast Region, John Day Fish District.
- Clark, R. N. and D. R. Gibbons. 1991. Recreation. *In: Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. American Fisheries Society Special Publication. 19: 459-481. 1991.
- Fraley, J. J., and B. B. Shepard. 1989. Life history, ecology, and population status of migrat
- Howell, P. J., and D. B. Buchanan. 1992. Eds., Proceedings of the Gearhart Mountain bull trout workshop; Gearhart Mountain, Oregon. Corvallis, Oregon. Oregon Chapter of the American Fisheries Society. 67 pp.
- Oregon Water Resources Department. 1986. John Day Basin Report.
- John Day River Subbasin Salmon and Steelhead Production Plan. 1990. Oregon Department of Fish and Wildlife, Confederated Tribes of the Umatilla and Warm Springs Indian Reservations.
- McPhail, J. D. and C. C. Lindsey. 1986. Zoogeography of the freshwater fishes of Cascadia (the Columbia system and rivers north of Stikine). Pages 615-638 *in* C. H. Hocutt and E. O. Wiley, eds. The zoogeography of North American freshwater fishes. New York.
- Platts, W. S. 1991. Livestock Grazing. *In: Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. American Fisheries Society Special Publication. 19: 389-423. 1991.

Reiman, B. E., and J. D. McIntyre. 1993. Demographic and habitat requirements for

conser

Rothschild, B. J., and G. T. DiNardo. 1987. Comparison of recruitment variability and life history data among marine and anadromous fishes. *American Fisheries Society Symposium* 1: 531-546.

Spruel, P., and F. W. Allendorf. 1997. Nuclear DNA analysis of Oregon bull trout. Final Report #97/5 to the Oregon Department of Fish and Wildlife. University of Montana, Missoula.

Unterwegner, T. 1997. Personal communication. John Day District Fisheries Biologist, Oregon Department of Fish and Wildlife.

Weaver, T. M., and R. G. White. 1985. Coal Creek fisheries monitoring study No. 3. Final Report. Montana Cooperative Fisheries Research Unit, Bozeman.

Ziller, J. S. 1992. Distribution and relative abundance of bull trout in the Sprague River subbasin, Oregon. *In: Proceedings of the Gearhart Mountain bull trout workshop; Gearhart Mountain, Oregon.* Pages 18-29.

Appendix A.

Procedures dealing with unauthorized livestock use within an allotment.

Subpart 4140-Prohibited Acts

Sec. 4140.1 Acts prohibited on public lands.

The following acts are prohibited on public lands and other lands administered by the Bureau of Land Management:

- (a) Grazing permittees or lessees performing the following prohibited acts may be subject to civil penalties under Sec. 4170.1:
 - (1) Violating special terms and conditions incorporated in permits or lease,
 - (2) Failing to make substantial grazing use as authorized for 2 consecutive fee years, but not including approved temporary nonuse, conservation use, or use temporarily suspended by the authorized officer,
 - (3) Placing supplemental food on these lands without authorization.
 - (4) Failing to comply with the terms, conditions, and stipulations of range improvement cooperative agreements or range improvement permits;
 - (5) Refusing to install, maintain, modify, or remove range improvements when so directed by the authorized officer.
 - (6) Unauthorized leasing or subleasing as defined in this part.
- (b) Persons performing the following prohibited acts related to rangelands to civil and criminal penalties set forth at §§ 4170.1 and 4170.2:
 - (1) Allowing livestock or other privately owned or controlled animals to graze on or be driven across these lands:
 - (i) Without a permit or lease, and annual grazing authorization. For the purposes of this paragraph, grazing bills for which payment has not been received do not constitute grazing authorization.
 - (ii) In violation of the terms and conditions of a permit, lease, or other grazing use authorization including, but not limited to, livestock in excess of the number authorized;
 - (iii) In an area or at a time different from that authorized: or
 - (iv) Failing to comply with a requirement under Sec. 4130.5(c) of this title.
 - (2) Installing, using, maintaining, modifying, and/or removing range improvements without authorization:
 - (3) Cutting, burning, spraying, destroying, or removing vegetation without authorization;
 - (4) Damaging or removing U.S. property without authorization;
 - (5) Molesting, harassing, injuring, poisoning, or causing death of livestock authorized to graze on these lands and removing authorized livestock without the owner's consent;
 - (6) Littering;

- (7) Interfering with lawful uses or users including obstructing free transit through or over public lands by force, threat, intimidation, signs, barrier or locked gates;
 - (8) Knowingly or willfully making a false statement or representation in base property certifications, grazing applications, range improvement permit applications, cooperative agreements, actual use reports and/or amendments thereto;
 - (9) Failing to pay any fee required by the authorized officer pursuant to this part, or making payment for grazing use of public lands with insufficiently funded checks on a repeated and willful basis;
 - (10) Failing to reclaim and repair any lands, property, or resources when required by the authorized officer;
 - (11) Failing to reclose any gate or other entry during periods of livestock use.
- (c) Performance of an act listed in paragraphs (c)(1), (c)(2) or (c)(3) at this section where Public land administered by the Bureau of Land Management is involved or affected, the violation is related to grazing use authorized by a permit or lease issued by the Bureau of Land Management, and the permittee or lessee has been convicted or otherwise found to be in violation of any of these laws or regulations by a court or by final determination of an agency charged with the administration of these laws or regulations, and no further appeals are outstanding, constitutes a prohibited act that may be subject to the civil penalties set forth at § 4170.1-1.
- (1) violation of Federal or State laws or regulations pertaining to the:
 - (i) placement of poisonous bait or hazardous devices designed for the destruction of wildlife;
 - (ii) application or storage of pesticides, herbicides, or other hazardous materials;
 - (iii) alteration or destruction of natural stream courses without authorization,
 - (iv) pollution of water sources;
 - (v) illegal take, destruction or harassment, or aiding and abetting in the illegal take, destruction or harassment of fish and wildlife resources: and
 - (vi) illegal removal or destruction of archeological or cultural resources;
 - (2) violation of the Bald Eagle Protection Act (16 U.S.C. 668 et. seq.), Endangered Species Act (16 U.S.C. 1531 et. seq. or any provision of part 4700 of this title concerning the protection and management of wild free-roaming horses and burros: or
 - (3) violation of State live-stock laws or regulations relating to the branding of livestock: breed, grade, and number of bulls; health and sanitation requirements, and violating State, county, or local laws regarding the stray of livestock from permitted public land grazing areas onto areas that have been formally closed to open range grazing.

Subpart 4150-Unauthorized Grazing Use

See. 4150.1 Violations.

Violation of Sec. 4140.1 (b)(1) constitutes unauthorized grazing use.

- (a) The authorized officer shall determine whether a violation is nonwillful, willful, or repeated willful.
- (b) Violators shall be liable in damages to the United States for the forage consumed by their livestock, for injury to Federal property caused by their unauthorized grazing use, and for

expenses incurred in impoundment and disposal of their livestock, and may be subject to civil penalties or criminal sanction for such unlawful acts.

Sec. 41 50.2 Notice and order to remove.

- (a) Whenever it appears that a violation exists and the owner of the unauthorized livestock is known, written notice of unauthorized use and order to remove livestock by a specified date shall be served upon the alleged violator or the agent of record, or both, by certified mail or personal delivery. The written notice shall also allow a specified time from receipt of notice for the alleged violator to show that there has been no violation or to make settlement under Sec. 4150.3.
- (b) Whenever a violation has been determined to be nonwillful and incidental, the authorized officer shall notify the alleged violator that the violation must be corrected, and how it can be settled, based upon the discretion of the authorized officer.
- (c) When neither the owner of the unauthorized livestock nor his agent is known, the authorized officer may proceed to impound the livestock under Sec. 4150.4.
- (d) The authorized officer may temporarily close areas to grazing by specified kinds or class of livestock for a period not to exceed 12 months when necessary to abate unauthorized grazing use. Such notices of closure may be issued as final decisions effective upon issuance or on the date specified in the decision and shall remain in effect pending the decision on appeal unless a stay is granted by the Office of Hearings and Appeals in accordance with 43 CFR 4.21.

Sec. 4150.3 Settlement.

The amount due for settlement shall include the value of forage consumed as determined in accordance with paragraph (a), (b), or (c) of this section. Where violations are repeated willful, the authorized officer shall take action under Sec. 4170. 1 -1 (b) of this title. The amount due for all settlements shall include the value of forage consumed as determined by paragraph (a), (b), or (c) of this section. Settlement for willful and repeated willful violations shall also include the full value for all damages to the public lands and other property of the United States; and oil reasonable expenses incurred by the United States in detecting, investigating, resolving violations, and livestock impoundment costs.

- (a) For nonwillful violations: The value of forage consumed as determined by the average monthly rate per AUM for pasturing livestock on privately owned land (excluding irrigated land) in each State as published annually by the Department of Agriculture. The authorized officer may approve nonmonetary settlement of unauthorized use only when the authorized officer determines that each of the following conditions is satisfied:
 - (1) evidence shows that the unauthorized use occurred through no fault of the livestock operator;
 - (2) the forage use is insignificant;
 - (3) the public lands have not been damaged; and
 - (4) nonmonetary settlement is in the best interest of the United States.
- (b) For willful violations: Twice the value of forage consumed as determined in paragraph (a) of this section.
- (c) For repeated willful violations: Three times the value of the forage consumed as determined in paragraph (a) of this section.
- (d) Payment made under this section does not relieve the alleged violator of any criminal liability under Federal or State law.

(e) Violators shall not be authorized to make grazing use on the public lands administered by the Bureau of Land Management until any amount found to be due the United States under this section has been paid. The authorized officer may take action under Sec. 4180. 1-2 of this title to cancel or suspend-grazing authorizations or to deny approval of applications for grazing use until such amounts have been paid. The proposed decision shall include a demand for payment.

Sec. 4150.4 Impoundment and disposal.

Unauthorized livestock remaining on the public lands or other lands under Bureau of Land Management control, or both, at the date set forth in the notice and order to remove sent under Sec. 4150.2 may be impounded and disposed of by the authorized officer as provided herein.

Sec. 4150.4-1 Notice of intent to impound.

(a) A written notice of intent to impound shall be sent by certified mail or personally delivered to the owner or his agent, or both. The written notice shall indicate that unauthorized livestock on the specified public lands or other lands under Bureau at Land Management control, or both, may be impounded any time after 5 days from delivery of the notice.

(b) Where the owner and his agent are unknown, or where both a known owner and his agent refuses to accept delivery, a notice of intent to impound shall be published in a local newspaper and posted at the county courthouse and a post office near the public land involved. The notice shall indicate that unauthorized livestock on the specified public lands or other lands under, Bureau at Land Management control, or both, may be impounded any time after 5 days from publishing and posting the notice.

Sec. 4150.4-2 Impoundment.

After 5 days from delivery of the notice under Sec. 4150.4-1 (a) of this title or any time after 5 days from publishing and posting the notice under Sec. 4150.4-1 (b) of this title, unauthorized livestock may be impounded without further notice any time within the 12-month period following the effective date of the notice.

Sec. 4150.4-3 Notice of public sale.

Following the impoundment of livestock under this subpart the livestock may be disposed of by the authorized officer under these regulations or, if a suitable agreement is in effect, they may be turned over to the State for disposal. Any known owners or agents, or both, shall be notified in writing by certified mail or by personal delivery of the sale and the procedure by which the impounded livestock may be redeemed prior to the sale.

Sec. 4150.4-4 Redemption.

Any owner or his agent, or both, or lien-holder of record of the impounded livestock may redeem them under these regulations or, if a suitable agreement is in effect, in accordance with State law,

prior to the time of sale upon settlement with the United States under Sec. 4150.3 or adequate showing that there has been no violation.

Sec. 4150.4-5 Sale.

If the livestock are not redeemed on or before the date and time fixed for their sale, they shall be offered at public sale to the highest bidder by the authorized officer under these regulations or, if a suitable agreement is in effect, by the State. If a satisfactory bid is not received, the livestock may be reoffered for sale, condemned and destroyed or otherwise disposed of under these regulations, or if a suitable agreement is in effect, in accordance with State Law.

Subpart 4160-Administrative Remedies

Sec. 4160.1 Proposed decisions.

(a) Proposed decisions shall be served on any affected applicant, permittee or lessee, and any agent and lien holder of record, who is affected by the proposed actions, terms or conditions, or modifications relating to applications, permits and agreements (including range improvement permits) or losses, by certified mail or personal delivery. Copies of proposed decisions shall also be sent to the interested public.

(b) Proposed decisions shall state the reasons for the action and shall reference the pertinent terms, conditions and the provisions of applicable regulations. As appropriate, decisions shall state the alleged violations of specific terms and conditions and provisions of these regulations alleged to have been violated, and shall state the amount due under §§ 4130.8 and 4150.3 and the action to be taken under § 4170.1.

(c) The authorized officer may elect not to issue a proposed decision prior to a final decision where the authorized officer has made a determination in accordance with § 4110.3-3(b) or § 4150.2(d) of this part.

Sec. 4160.2 Protests.

Any applicant, permittee, lessee or other affected interests may protest the proposed decision under Sec. 4160.1 of this title in person or in writing to the authorized officer within 15 days after receipt of such decision.

Sec. 4160.3 Final decisions.

(a) In the absence of a protest, the proposed decision will become the final decision of the authorized officer without further notice unless otherwise provided in the proposed decision.

(b) Upon the timely filing of a protest, the authorized officer shall reconsider his proposed decision in light of the protestant's statement of reasons for protest and in light of other information pertinent to the case. At the conclusion to his review of the protest the authorized officer shall serve his final decision on the protestant or his agent, or both, and the interested public.

(c) A period at 30 days following receipt of the final decision, or 30 days after the date the proposed decision becomes final as provided in paragraph (a) of this section, is provided for

filing an appeal and petition for stay of the decision pending final determination an appeal. A decision will not be effective during the 30-day appeal period, except as provided in paragraph (f) of this section. See §§ 4.21 and 4.470 of this title for general provisions of the appeal and stay process.

(d) When the Office of Hearings and Appeals stays a final decision of the authorized officer regarding an application for grazing authorization, an applicant who was granted grazing use in the preceding year may continue at that level of authorized grazing use during the time the decision is stayed, except where grazing use in the preceding year was authorized on a temporary basis under § 4110.3-1 (a). Where an applicant had no authorized grazing use during the previous year, or the application is for designated ephemeral or annual rangeland grazing use, the authorized grazing use shall be consistent with the decision pending the Office of Hearings and Appeals final determination on the appeal.

(a) When the Office of Hearings and Appeals stays a final decision of the authorized officer to change the authorized grazing use, the grazing use authorized to the permittee or losses during the time that the decision is stayed shall not exceed the permittee's or lessee's authorized use in the last year during which any use was authorized.

(f) Notwithstanding the provisions of § 4.21 (a) of this title, the authorized officer may provide that the final decision shall be effective upon issuance or on a date established in the decision and shall remain in effect pending the decision on appeal unless a stay is granted by the Office of Hearings and Appeals when the authorized officer has made a determination in accordance with § 4110.3-3(b) or § 4150.2(d) of this part. Nothing in this section shall affect the authority of the Director of the Office of Hearings and Appeals or the Interior Board of Land Appeals to place decisions in full force and effect as provided in § 4.21 (a)(1) of this title.

Sec. 4160.4 Appeals.

Any person whose interest is adversely affected by a final decision of the authorized officer may appeal the decision for the purpose of a hearing before an administrative law judge by following the requirements set out in § 4.470 of this title. As stated in that part, the decision must be filed within 30 days after the receipt of the decision or within 30 days after the date the proposed decision becomes final as provided in 4160.3(a). Appeals and petitions for a stay of the decision shall be filed at the office of the authorized officer. The authorized Officer shall promptly transmit the appeal and petition for stay to ensure their timely arrival at the appropriate Office of Hearings and Appeals.

Subpart 4170-Penalties

See. 4170.1 Civil penalties.

Sec. 4170. 1 -1 Penalty for violations.

(a) The authorized officer may withhold issuance of a grazing permit or lease, or suspend the grazing use authorized under a grazing permit or lease, in whole or in part, or cancel a grazing permit or lease and grazing preference, or a free use grazing permit or other grazing authorization, in whole or in part, under Subpart 4160 of this title, for violation by a permittee or lessee of any of the provisions of this part.

(b) The authorized officer shall suspend the grazing use authorized under a grazing permit, in whole or in part. or shall cancel a grazing permit or lease and grazing preference, in whole or in part. under Subpart 4160 of this title for repeated willful violation by a permittee or losses of Sec. 4140.1 (b)(1) of this title.

(c) Whenever a nonpermittee or nonlessee violates Sec. 4140.1(b) of this title and has not made satisfactory settlement under Sec. 4150.3 of this title the authorized officer shall refer the matter to proper authorities for appropriate legal action by the United States against the violator.

(d) Any person who is found to have violated the provisions of Sec. 4140.1 (a)(6) after August 21, 1995, shall be required to pay twice the value of forage consumed as determined by the average monthly rate per AUM for pasturing livestock on privately owned land (excluding irrigated land) in each State as supplied annually by the National Agricultural Statistics Service, and all reasonable expenses incurred by the United States in detecting, investigating, and resolving violations. If the dollar equivalent value is not received by the authorized officer within 30 days of receipt of the final decision, the grazing permit or lease shall be cancelled. Such payment shall be in addition to any other penalties the authorized officer may impose under paragraph (a) of this section.

Sec. 4170.1 -2 Failure to use.

If a permittee or lessee has, for 2 consecutive grazing fee years, failed to make substantial use as authorized in the lease or permit. or has failed to maintain or use water bass property in the grazing operation, the authorized officer, after consultation, coordination and cooperation with the permittee or losses and any lienholder of record, may cancel whatever amount of permitted use the permittee or lessee has failed to use .

Sec. 4170.2 Penal provisions.

Sec. 4170.2-1 Penal provisions under the Taylor Grazing Act.

Under section 2 of the Act any person who willfully commits an act prohibited under § 4140.1 (b), or who willfully violates approved special rules and regulations is punishable by a fine of not more than \$500

Sec. 4170.2-2 Penal provisions under the Federal Land Policy and Management Act.

Under section 303(a) of the Federal Land Policy and Management Act of 1976 (43 U.S.C. 1701 et seq.), any person who knowingly and willfully commits an act prohibited under § 4140.1 (b) or who knowingly and willfully violates approved special rules and regulations may be brought before a designated U.S. magistrate and is punishable by a fine in accordance with the applicable provisions of Title 18 of the United States Code, or imprisonment for no more than 12 months or both.

Table 1.

RANGE MANAGEMENT PERMITTED ACTIONS: 1998 ONGOING
 NORTH FORK JOHN DAY SUBBASIN - HUC # 17070202
 PRINEVILLE DISTRICT BLM

Allotment Name	BLM Acres	Season of Use ¹	Permitted AUM's	Occupied Habitat ²	300' FB Stream ²	150' N-FB Stream ²	100' Inter. Stream ²	Effects Determination ³
Slicear Mountain #4003	1,640	4/1-5/31	268	3.8	3.8	0.5	2.4	NLAA
Big Wall #4008	40	4/1-7/1	4	0.0	0.0	0.0	0.0	NE
Mud Springs #4015	240	4/1-5/31	30	0.0	0.2	0.0	0.3	NLAA
Neal Butte #4028	466	4/1-5/31	100	2.2	2.2	0.0	0.7	NLAA
North Fork #4029	1,894	4/1-5/31	316	4.8	5.75	0.0	1.6	NLAA
Johnny Cake Mtn. #4042	280	4/1-5/31	30	0.8	1.2	0.0	0.6	NLAA
Wrightman Canyon #4054	40	4/1-11/30	6	0.0	0.0	0.0	0.0	NE
Little Wall Creek #4108	320	4/1-5/31	53	0.0	0.7	0.0	0.3	NLAA
Big Bend #4122	280	4/1-5/31	24	0.5	0.5	0.0	1.0	NLAA
Umatilla # 4125	679	4/1-5/31	113	0.9	0.9	0.0	1.2	NLAA
Bone Yard #4139	1,520	5/1-11/30	148	0.0	0.0	0.0	4.0	NLAA

Footnotes:

- 1 All allotments are cattle operations
- 2 Miles of Stream on Public Lands, FB = fish bearing stream, N-FB = non-fish bearing stream, Inter. Stream = intermittent stream
- 3 NE = no effect to bull trout or habitat, NLAA = not likely to adversely affect bull trout or habitat

Table 2. DISTANCE TO OCCUPIED BULL TROUT HABITAT IN THE NORTH FORK JOHN DAY RIVER AND NOALE STATUS

Allotment Name	Riverine Miles to Occupied Bull Trout Habitat	NOALE Disposal or Retention Parcels in Allotment
Slickear Mountain #4003	Adjacent	Retention
Big Wall #4008	8	Disposal
Mud Springs #4015	3	Retention and Disposal
Neal Butte #4028	Adjacent	Retention
North Fork #4029	Adjacent	Retention
Johnny Cake Mtn. #4042	Adjacent	Retention
Wrightman Canyon #4054	2	Disposal
Little Wall Creek #4108	9	Retention
Big Bend #4122	Adjacent	Retention
Umatilla # 4125	Adjacent	Retention and Disposal
Bone Yard #4139	3-8	Retention