

# Exhibit E

*Tables*

## TABLES AND EXHIBITS

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<u>Note:</u> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>FUNGI</b>		
<i>Acanthophysium farlowii</i> ( <i>Aleurodiscus farlowii</i> )		B
<i>Albatrellus avellaneus</i>		B
<i>Albatrellus caeruleoporus</i>		B
<i>Albatrellus ellisii</i>		B
<i>Albatrellus flettii</i>		B
<i>Albatrellus laevigatus</i>		B
<i>Albatrellus luteostrigosus</i>		B
<i>Albatrellus spathulatus</i> ( <i>Albatrellus</i> sp. nov. #Trappe 12282; <i>Albatrellus</i> sp. nov. #Trappe 12359)		B
<i>Albatrellus strigosus</i>		B
<i>Albatrellus tenuiculus</i>		B
<i>Asterophora lycoperdoides</i>		B
<i>Asterophora parasitica</i>		B
<i>Baeospora myriadophylla</i>		B
<i>Pedicia nigra</i> ( <i>Pedicia nigra</i> )		B
<i>Boletus haematinus</i>		B
<i>Boletus pulcherrimus</i>		B
<i>Bondarzewia mesenterica</i> ( <i>Bondarzewia montana</i> )		B
<i>Bridgeoporus nobilissimus</i> ( <i>Oxyporus nobilissimus</i> )		A
<i>Cambodius subalatus</i>		D
<i>Catathelasma ventricosa</i>		B
<i>Chalciporus piperatus</i> ( <i>Boletus piperatus</i> )		D
<i>Chamaria pacifica</i> ( <i>Chamaria pacifica</i> sp. nov. #Trappe #12768)		B
<i>Choiromyces alveolatus</i>		B
<i>Choiromyces venosus</i>		B
<i>Chromosera cyanophylla</i> ( <i>Mycena liliifolia</i> )		B
<i>Chroogomphus loculatus</i>		B
<i>Chrysomphalina grossula</i>		B
<i>Clavariadelphus ligula</i>		B
<i>Clavariadelphus occidentalis</i> ( <i>Clavariadelphus pistillaris</i> )		B
<i>Clavariadelphus sachalinensis</i>		B
<i>Clavariadelphus subfastigiatus</i>		B
<i>Clavariadelphus truncatus</i> (syn. <i>Clavariadelphus borealis</i> )		B

*Survey and Manage and other Mitigation Measures*

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>FUNGI (continued)</b>		
<i>Clavulina castanipes</i> v. <i>lignicola</i> ( <i>Clavulina ornatipes</i> )		B
<i>Clitocybe senilis</i>		B
<i>Clitocybe subditopoda</i>		B
<i>Collybia bakerensis</i>		B
<i>Collybia racemosa</i>		B
<i>Cordyceps capitata</i>		B
<i>Cordyceps ophioglossoides</i>		B
<i>Cortinarius barlowensis</i> (syn. <i>Cortinarius azureus</i> )		B
<i>Cortinarius boulderensis</i>		B
<i>Cortinarius cyanites</i>		B
<i>Cortinarius depauperatus</i> ( <i>Cortinarius spilomeus</i> )		B
<i>Cortinarius magnivelatus</i>		B
<i>Cortinarius olympianus</i>		B
<i>Cortinarius speciosissimus</i> ( <i>Cortinarius rainierensis</i> )		B
<i>Cortinarius tabularis</i>		B
<i>Cortinarius umidicola</i> ( <i>Cortinarius canabarpa</i> )		B
<i>Cortinarius valgus</i>		B
<i>Cortinarius variipes</i>		B
<i>Cortinarius verrucisporus</i>		B
<i>Cortinarius wiebeae</i>		B
<i>Craterellus tubaeformis</i> (syn. <i>Cantharellus tubaeformis</i> )		D
<i>Cudonia monticola</i>		B
<i>Cyphellostereum laeve</i>		B
<i>Dermocybe humboldtensis</i>		B
<i>Dessiniella fuscata</i>		B
<i>Dessiniella rubra</i>		B
<i>Dichostereum boreale</i> ( <i>Dichostereum granulosum</i> )		B
<i>Elaphomycetes alpinus</i>		B
<i>Elaphomycetes subalpinus</i>		B
<i>Eudogueia acerigera</i>		B
<i>Endogone erogenensis</i>		B
<i>Entoloma nitidum</i> ( <i>Rhodocybe nitida</i> )		B
<i>Fayodia bisphaerigera</i> ( <i>Fayodia gracilipes</i> )		B
<i>Fevansia aurantiaca</i> ( <i>Alpova</i> sp. nov. # Trappe 1966) ( <i>Alpova aurantiaca</i> )		B
<i>Galerina atkinsoniana</i>		B
<i>Galerina cerina</i>		B

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP Species	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>FUNGI (continued)</b>		
<i>Galerina heterocystis</i>		E
<i>Galerina sphagnicola</i>		E
<i>Galerina vittaeformis</i>		B
<i>Gasteroboletus imbellitus</i>		B
<i>Gasteroboletus intermedius</i>		B
<i>Gasteroboletus subapinus</i>		B
<i>Gasteroboletus turginosus</i>		B
<i>Gasteroboletus viridis</i> ( <i>Gasteroboletus</i> sp. nov. #Trappe 2897; <i>Gasteroboletus</i> sp. nov. #Trappe 7515)		B
<i>Gastrosullus amaranthinus</i> ( <i>Gastrosullus</i> sp. nov. #Trappe 6608)		E
<i>Gastrosullus intermedius</i> ( <i>Gasteroboletus</i> sp. nov. #Trappe 7515)		B
<i>Gasteria magnicellaria</i>		B
<i>Gasteria stulta</i>		B
<i>Gelatinodiscus flavidus</i>		B
<i>Glomus radiatus</i>		B
<i>Gomphus bonarii</i>		B
<i>Gomphus clavatus</i>		B
<i>Gomphus floccosus</i> , In California		F
<i>Gomphus kauffmanii</i>		B
<i>Gymnomyces abietis</i> ( <i>Gymnomyces</i> sp. nov. #Trappe 1600, 1706, 1710; <i>Cynomyces</i> sp. nov. #Trappe 1703, 5574; <i>Gymnomyces</i> sp. nov. #Trappe 5052; <i>Gymnomyces</i> sp. nov. #Trappe 7545; <i>Mariellia</i> sp. nov. #Trappe 1700; <i>Mariellia</i> sp. nov. #Trappe 311; <i>Mariellia</i> sp. nov. #Trappe 5909)		B
<i>Gymnomyces nonalisticincta</i> ( <i>Mariellia</i> sp. nov. #Trappe 649)		B
<i>Gymnopilus punctifolius</i>		B
<i>Gyromitra californica</i>		B
<i>Gyromitra esculenta</i>		F
<i>Gyromitra infula</i>		B
<i>Gyromitra melaleucaoides</i>		B
<i>Gyromitra montana</i> ( <i>Gyromitra gigas</i> )		F
<i>Hebeloma olympianum</i> ( <i>Hebeloma olympiana</i> )		B
<i>Helvella crassitunicata</i>		B
<i>Helvella elastica</i>		B
<i>Helvella maculata</i>		B
<i>Hymenopeltis thoracata</i> ( <i>Hymenopeltis</i> sp. nov. #Trappe 787, 792)		B
<i>Hymenopeltis subnix</i> ( <i>Hymenopeltis</i> sp. nov. #Trappe 1861)		B
<i>Hydnellum umbilicatum</i>		B

*Survey and Manage and other Mitigation Measures*

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<u>Note:</u> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>FUNGI (continued)</b>		
<i>Hydropus marginellus</i> ( <i>Mycena marginella</i> )		B
<i>Hygrophorus caeruleus</i>		B
<i>Hygrophorus karstenii</i>		B
<i>Hygrophorus vernalis</i>		B
<i>Hypomyces luteovirens</i>		B
<del><i>Lemnogaster cinnabarina</i></del>		B
<del><i>Lemnogaster microsporus</i></del>		B
<del><i>Lemnogaster illinoiensis</i></del>		B
<del><i>Macowanites luteus</i></del>		B
<i>Macowanites mollis</i>		B
<i>Marasmius appplanatipes</i>		B
<i>Martellia fragrans</i>		B
<i>Martellia idahoensis</i>		B
<i>Mycena hudsoniana</i>		B
<i>Mycena monticola</i>		B
<i>Mycena overholtsii</i>		B
<i>Mycena quinaultensis</i>		B
<i>Mycena tenax</i>		B
<i>Mythicomyces corniceps</i>		B
<i>Neolentinus adhaerens</i>		B
<i>Neolentinus kauffmanii</i>		B
<i>Neournula pouchetii</i>		B
<i>Nivatogastrium nubigenum</i>		B
<i>Octavianina cyanescens</i> ( <i>Octavianina</i> sp. nov. #Trappe 7502)		B
<i>Octavianina macrospora</i>		B
<i>Octavianina papyracea</i>		B
<i>Otidea leporina</i>		B
<i>Otidea onotica</i>		F
<i>Otidea smithii</i>		B
<i>Phaeocollybia attenuata</i>		D
<i>Phaeocollybia californica</i>		B
<i>Phaeocollybia dissiliens</i>		B
<i>Phaeocollybia fallax</i>		D
<i>Phaeocollybia gregaria</i>		B
<i>Phaeocollybia kauffmanii</i>		D
<i>Phaeocollybia olivacea</i>		B

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>FUNGI (continued)</b>		
<i>Phaeocollybia oregonensis</i> (syn. <i>Phaeocollybia carmanahensis</i> )		B
<i>Phaeocollybia piceae</i>		B
<i>Phaeocollybia pseudofestiva</i>		B
<i>Phaeocollybia scatesiae</i>		B
<i>Phaeocollybia sipei</i>		B
<i>Phaeocollybia spadicea</i>		B
<i>Phellodon atratus</i> ( <i>Phellodon atratum</i> )		B
<i>Pholiota albivela</i>		B
<i>Pithya vulgaris</i>		D
<i>Plectania melastoma</i>		F
<i>Plectania milleri</i>		B
<i>Podostroma alutaceum</i>		B
<i>Polyozellus multiplex</i>		B
<i>Pseudaleuria quinaultiana</i>		B
<i>Ramaria abietina</i>		B
<i>Ramaria amyloidea</i>		B
<i>Ramaria araiospora</i>		B
<i>Ramaria aurantiisiccescens</i>		B
<i>Ramaria botryis</i> var. <i>aurantiiramosa</i>		B
<i>Ramaria celerivirescens</i>		B
<i>Ramaria claviramulata</i>		B
<i>Ramaria concolor</i> f. <i>marrii</i>		B
<i>Ramaria concolor</i> f. <i>tsugina</i>		B
<i>Ramaria conjunctipes</i> var. <i>sparsiramosa</i> ( <i>Ramaria fasciculata</i> var. <i>sparsiramosa</i> )		B
<i>Ramaria coulterae</i>		B
<i>Ramaria cyaneigranosa</i>		B
<i>Ramaria gelatiniaurantia</i>		B
<i>Ramaria gracilis</i>		B
<i>Ramaria hilaris</i> var. <i>olympiana</i>		B
<i>Ramaria largentii</i>		B
<i>Ramaria lorithamnus</i>		B
<i>Ramaria maculatipes</i>		B
<i>Ramaria rainierensis</i>		B
<i>Ramaria rubella</i> var. <i>blanda</i>		B
<i>Ramaria rubribrunnescens</i>		B
<i>Ramaria rubrivenescens</i>		B

*Survey and Manage and other Mitigation Measures*

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<u>Note:</u> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>FUNGI (continued)</b>		
<i>Ramaria rubripermanens</i>		B
<i>Ramaria spinulosa</i> var. <i>diminutiva</i> ( <i>Ramaria spinulosa</i> )		B
<i>Ramaria stuntzii</i>		B
<i>Ramaria suecica</i>		B
<i>Ramaria thiersii</i>		B
<i>Ramaria verlotensis</i>		B
<i>Phizopogon subtilis</i>		B
<i>Phizopogon subtilis</i>		B
<i>Phizopogon brunneus</i>		B
<i>Phizopogon luteoalbus</i> ( <i>Phizopogon</i> sp. nov. #Trappe 0423)		B
<i>Phizopogon ellipsosporus</i> ( <i>Aleurota</i> sp. nov. #Trappe 0720)		B
<i>Phizopogon evanescens</i> var. <i>subalpinus</i>		B
<i>Phizopogon exiguus</i>		B
<i>Phizopogon flavifolius</i>		B
<i>Phizopogon inquinatus</i>		B
<i>Phizopogon</i>		D
<i>Rhodocybe speciosa</i>		B
<i>Rickenella swartzii</i> ( <i>Rickenella setipes</i> )		B
<i>Russula mustelina</i>		B
<i>Sarcodon fuscoindicus</i>		B
<i>Sarcodon imbricatus</i>		B
<i>Sarcosoma latahense</i> ( <i>Plectania latahensis</i> )		B
<i>Sarcosoma mexicanum</i> , WA, CA, and Curry and Josephine Counties, OR		F
<i>Sarcosphaera coronaria</i> ( <i>Sarcosphaera eximia</i> )		B
<i>Sedecula pulvinata</i>		B
<i>Sowerbyella rhenana</i> ( <i>Aleuria rhenana</i> )		B
<i>Sparassis crispa</i>		D
<i>Spathularia flava</i>		B
<i>Stagnicola perplexa</i>		B
<i>Thaxterogaster pavelekii</i> ( <i>Thaxterogaster</i> sp. nov. #Trappe 4867, 6242, 7427, 7962, 8520)		B
<i>Tremiscus helvelloides</i> (syn. <i>Phlogiotis helvelloides</i> )		B
<i>Tricholoma venenatum</i>		B
<i>Tricholomopsis fulvescens</i>		B
<i>Tuber</i> sp. (Tuber sp. nov. #Trappe 2502)		B
<i>Tuber pacificum</i> (Tuber sp. nov. #Trappe 12493)		B
<i>Tylopilus porphyrosporus</i> ( <i>Tylopilus pseudoscaber</i> )		D

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>LICHENS</b>		
<i>Bryoria pseudocapillaris</i>		B
<i>Bryoria spiralifera</i>		B
<i>Bryoria subcana</i> (syn. <i>Alectoria subcana</i> )		B
<i>Bryoria tortuosa</i> , WA Olympic Peninsula, WA Western Lowlands, WA Western Cascades, OR Western Cascades, OR Coast Range, OR Willamette Valley, and CA Coast Range Physiographic Provinces		A
<i>Bryoria tortuosa</i> , WA Eastern Cascades, OR Eastern Cascades, OR Klamath, CA Klamath, and CA Cascades Physiographic Provinces		D <sup>1</sup>
<i>Buellia oidalea</i>		E
<i>Calicium abietinum</i>		B
<i>Calicium adpersum</i>		E
<i>Calicium glauceum</i>		F
<i>Calicium viride</i>		F
<i>Cetrelia cetrariooides</i>		E
<i>Chaenotheca chryscephala</i>		B
<i>Chaenotheca ferruginea</i>		B
<i>Chaenotheca furfuracea</i>		F
<i>Chaenotheca subroscida</i>		E
<i>Chaenothecopsis pusilla</i> (syn. <i>Chaenothecopsis subpusilla</i> , <i>Calcium asikkalense</i> , <i>Calcium floerkei</i> , <i>Calcium pusillum</i> , <i>Calcium subpusillum</i> )		E
<i>Cladonia norvegica</i>		B
<i>Collema nigrescens</i> , in WA and OR, except in OR Klamath Physiographic Province		F
<i>Dendriscocaulon intricatum</i>		B
<i>Dermatocarpon luridum</i>		B
<i>Heterodermia sitchensis</i>		E
<i>Hypogymnia duplicata</i> (syn. <i>Hypogymnia elongata</i> )		A
<i>Hypogymnia oceanica</i>		F
<i>Hypogymnia vittata</i> ( <i>Hygomnia vittiata</i> )		E
<i>Hypotrachyna revoluta</i> (syn. <i>Parmelia revoluta</i> )		E
<i>Leptogium burnetiae</i> var. <i>hirsutum</i> (syn. <i>Leptogium hirsutum</i> )		A
<i>Leptogium cyanescens</i>		A
<i>Leptogium rivale</i>		B
<i>Leptogium teretiusculum</i>		E
<i>Lobaria linita</i>		A
<i>Lobaria oregana</i> , In California		A
<i>Microcalicium arenarium</i>		B
<i>Nephroma bellum</i>		F

*Survey and Manage and other Mitigation Measures*

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<u>Note:</u> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>LICHENS (continued)</b>		
<i>Nephroma isidiosum</i>		E
<i>Nephroma occultum</i>		B
<i>Niebla cephalota</i> (syn. <i>Desmazieria cephala</i> , <i>Ramalina cephalota</i> )		A
<i>Pannaria rubiginosa</i>		E
<i>Pannaria saubinetii</i>		F
<i>Peltigera pacifica</i>		E
<i>Platismatia lacunosa</i>		C
<i>Pseudocyphellaria</i> sp. 1 ( <i>Pseudocyphellaria mougeotiana</i> )		B
<i>Pseudocyphellaria rainierensis</i>		A
<i>Pyrrhospora quernea</i> (syn. <i>Lecidea quernea</i> , <i>Protoblastenia quernea</i> )		E
<i>Ramalina pollinaria</i>		E
<i>Ramalina thrausta</i>		A
<i>Stenocybe clavata</i>		E
<i>Teloschistes flavicans</i>		A
<i>Tholurna dissimilis</i> , south of Columbia River		B
<i>Usnea hesperina</i>		B
<i>Usnea longissima</i> , In California and in Curry, Josephine, and Jackson Counties, Oregon		A
<i>Usnea longissima</i> , In Oregon, except in Curry, Josephine, and Jackson Counties and in Washington		F
<b>BRYOPHYTES</b>		
<i>Brotherella roellii</i>		E
<i>Buxbaumia viridis</i>		D <sup>1</sup>
<i>Diplophyllum albicans</i>		D
<i>Diplophyllum plicatum</i>		B
<i>Encalypta brevicolla</i> v. <i>crumiana</i>		B
<i>Herbertus aduncus</i>		B
<i>Iwatsukiella leucotricha</i>		B
<i>Kurzia makinoana</i>		B
<i>Marsupella emarginata</i> v. <i>aquatica</i>		B
<i>Orthodontium gracile</i>		B
<i>Ptilidium californicum</i> , In California		A
<i>Racomitrium aquaticum</i>		B
<i>Rhizomnium nudum</i>		B
<i>Schistostega pennata</i>		A
<i>Tetraphis geniculata</i>		A
<i>Tritomaria exsectiformis</i>		B
<i>Tritomaria quinquedentata</i>		B

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<u>Note:</u> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>VERTEBRATES</b>		
<del>D</del> Northern salamander <i>Plethodon elongatus</i>		D <sup>1</sup>
<del>E</del> Larch Mountain salamander <i>Plethodon larvatus</i>		A
<del>C</del> Shasta salamander <i>Hydromantes shastae</i>		A
<del>S</del> Siskiyou Mountains salamander <i>Plethodon stormi</i>		C
<del>V</del> Van Dyke's salamander <i>Plethodon vanwykii</i> (Cascade population only)		A
<del>G</del> Great Gray Owl <i>Bubo nebulosus</i>		C
<del>O</del> Oregon Dusky Vole <i>Thomomys longicaudus</i>		C
<b>MOLLUSKS</b>		
<i>Ancotrema voyanum</i>		E <sup>3,4</sup>
<i>Cryptomastix devia</i>		A
<i>Cryptomastix hendersoni</i>		A
<i>Deroceras hesperium</i>		B <sup>4</sup>
<i>Fluminicola</i> n. sp. 1		A <sup>2</sup>
<i>Fluminicola</i> n. sp. 2		A
<i>Fluminicola</i> n. sp. 3		A <sup>2</sup>
<i>Fluminicola</i> n. sp. 11		A <sup>2</sup>
<i>Fluminicola</i> n. sp. 14		A
<i>Fluminicola</i> n. sp. 15		A
<i>Fluminicola</i> n. sp. 16		A
<i>Fluminicola</i> n. sp. 17		A
<i>Fluminicola</i> n. sp. 18		A <sup>2</sup>
<i>Fluminicola</i> n. sp. 19		A <sup>2</sup>
<i>Fluminicola</i> n. sp. 20		A <sup>2</sup>
<i>Fluminicola</i> seminalis		B <sup>4</sup>
<i>Helminthoglypta hertleini</i>		A
<i>Helminthoglypta talmadgei</i>		A
<i>Hemphillia burringtoni</i> ( <i>Hemphillia</i> "burringtoni")		C
<i>Hemphillia glandulosa</i>		C
<i>Hemphillia malonei</i>		B <sup>4</sup>
<i>Hemphillia pantherina</i>		A
<i>Juga</i> (O) n. sp. 2		A
<i>Juga</i> (O) n. sp. 3		A
<i>Lyogyrus</i> n. sp. 1		A
<i>Lyogyrus</i> n. sp. 2		A
<i>Lyogyrus</i> n. sp. 3		A
<i>Megomphix hemphilli</i> , South of south boundary of Lincoln, Benton, and Linn Counties, Oregon		F <sup>5</sup>
<i>Megomphix hemphilli</i> , North of south boundary of Lincoln, Benton, and Linn Counties, Oregon		A
<i>Monadenia chaceana</i>		B <sup>4</sup>
<i>Monadenia churchi</i>		F <sup>5</sup>
<i>Monadenia fidelis klamathica</i>		B <sup>3,4</sup>
<i>Monadenia fidelis minor</i>		A

*Survey and Manage and other Mitigation Measures*

**Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001)**

TAXA GROUP <i>Species</i>	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<b>MOLLUSKS (continued)</b>		
<i>Monadenia fidelis ochromphalus</i>		B <sup>3,4</sup>
<i>Monadenia troglodytes troglodytes</i>		A
<i>Monadenia troglodytes wintu</i>		A
<i>Oreohelix n. sp.</i>		A
<i>Pristoloma articum crateris</i>		B <sup>2,4</sup>
<i>Prophysaon coeruleum</i> , In California and Washington		A
<i>Trilobopsis roperi</i>		A
<i>Trilobopsis tehamae</i>		A
<i>Vertigo n. sp.</i>		A
<i>Vespericola pressleyi</i>		A
<i>Vespericola shasta</i>		E
<i>Vorticifex klamathensis sinitsini</i>		E
<i>Vorticifex n. sp. 1</i>		
<b>VASCULAR PLANTS</b>		
<i>Arceuthobium tsugense mertensianae</i> (Washington only)		F
<i>Bensoniella oregana</i> (California only)		A
<i>Botrychium minganense</i> , In Oregon and California		A
<i>Botrychium montanum</i>		A
<i>Coptis asplenifolia</i>		A
<i>Coptis trifolia</i>		C
<i>Corydalis aquae-gelidae</i>		C
<i>Cypripedium fasciculatum</i> (entire range)		C
<i>Cypripedium montanum</i> (entire range)		C
<i>Eucephalus vialis</i> ( <i>Aster vialis</i> )		A
<i>Galium kamtschaticum</i> , Olympic Peninsula, WA Eastern Cascades, OR & WA Western Cascades Physiographic Provinces, south of Snoqualmie Pass		A
<i>Platanthera orbiculata</i> var. <i>orbiculata</i> ( <i>Habenaria orbiculata</i> )		C
<b>ARTHROPODS</b>		
<del>Canopy herbivores (south range)</del>		F
<del>Course wood chewers (south range)</del>		F
<del>Litter and soil dwelling species (south range)</del>		F
<del>Understory and forest gap herbivores (south range)</del>		F
<sup>1</sup> Although Pre-Disturbance Surveys are deemed practical for these species, continuing pre-disturbance surveys is not necessary in order to meet management objectives. <sup>2</sup> For these species, until Management Recommendations are written, the following language will be considered part of the Management Recommendation: "Known and newly discovered sites of these species will be protected from grazing by all practical steps to ensure that the local population of the species will not be impacted."		